



Effective surveillance for Food and Pharma

NRS II Transwab[®] Polywipes[™] Steriswab[™] & SteriKit[™] Isolation Transwab[®]

Reliable microbiological sampling of critical surfaces



NRSII Transwab[®]

Neutralises trace disinfectant

NRS II Transwab[®] is MWE's name for its range of swab based environmental sampling devices for the food, pharmaceutical, biotechnology and cosmetic industries. There can also be applications in healthcare including the monitoring of infection control measures.

All NRS II Transwab[®] devices feature MWE's leak proof labelled self standing screw-cap tube made from shatterproof polypropylene, with a high visibility blue shaft swab attached to the cap. The swab features a rayon bud that can remain immersed in liquid, yet retains MWE's high standard for absorption, survival and release of microorganisms. The tubes are prefilled with the specified volume of solution and there is a choice of NRS, MWE's classic neutralising rinse solution, and a range of alternative buffers and media appropriate for particular applications.

> Advanced precision tooling and design ensures quick-turn sure fit for ease of use and security of contents in transit

> Flexible but strong shaft for optimum reach and sampling in industrial settings

Ridged cap for easy manipulation when loosening and tightening

Shatterproof components – no risk of fragments in food or sterile areas

Precision filling to allow accurate total counts and trend analysis

Choice of fill volume

New rayon bud

Choice of diluent to suit standard procedures in particular industries or countries

Skirted base allows self standing for maximum convenience at sampling site and at the laboratory

NRS (Neutralising Rinse Solution)

NRS Medium contains lecithin, polysorbate 80, and sodium thiosulphate in a peptone phosphate buffer. The formulation conforms to ISO 18593 and will neutralise most disinfectants used in the food industry, including those based on chlorine, peroxygen compounds, amphoterics, biguanides, and glutaraldehyde. This is a universal neutralising solution suitable for testing most disinfected areas within the food, cosmetic and pharmaceutical industries. Precise fill volumes allow accurate quantitative assessment of contamination levels.

Buffered Peptone Water

Buffered Peptone Water contains peptone and sodium chloride, with a phosphate buffer, and is used for the recovery of *Salmonella*, especially in environments where they may have been sub-lethally injured.

Butterfield Buffer

Butterfield Buffer (also called Butterfield's Solution or Butterfield's phosphate buffered dilution water) contains potassium phosphate as specified by APHA and FDA, and is

used in standard methods for the enumeration of bacteria and fungi in foods, water and pharmaceutical products. The standard formulation has been modified by the inclusion of a low level of peptone to reduce osmotic shock, and polysorbate 80 as a surfactant to assist the sampling process.

Letheen Broth

Letheen media are used to determine the bactericidal efficacy of quaternary ammonium based disinfectants.

Pre-moistened

Effective sampling of food contact surfaces after cleaning



Letheen broth is a growth medium recommended by the FDA for use in the microbiological testing of cosmetics, and the formulation is as described in the FDA Bacteriological Analytical Manual. Polysorbate 80 and lecithin are included to partially neutralise the preservatives commonly found in cosmetics.

MRD (Maximum Recovery Diluent)

Also called Peptone Saline. Maximum Recovery Diluent is an isotonic and protective medium for maximum recovery of microorganisms from environmental and food sources. It is also the recommended diluent for the sampling of carcasses in the European Union.

Tryptic Soy Broth

Tryptic Soy Broth is a general purpose recovery medium with excellent growth properties for aerobes, anaerobes, and some fungi. It is widely used for sterility testing, particularly in pharmaceutical manufacturing.

NRS without Sodium Thiosulphate

Some testing methods (such as Petrifilm[®]) require medium without thiosulphate.



Choice of fill

NRS medium and variants are available in a choice of 3 fill sizes

- I 0ml and 5ml are used with standard and filtration methods.
- I ml can be used directly with Petrifilm[®], and other direct pour plating techniques



Polywipes[™]

Premoistened sponge swabs for sampling large areas



Polywipes[™] are sterile premoistened blue sponge swabs, ready to use and highly effective for the sampling and microbiological assessment of a wide variety of surfaces.

Polywipes[™] are manufactured from a special sponge material containing no inhibitory substances, so that maximum recovery and detection of microorganisms is assured. The sponge format is convenient for sampling larger flat or irregular surfaces, such as conveyor belts and machine parts, as well as floors, walls, drains and ceilings.

Polywipes[™] are premoistened with phosphate buffer, or any of a selection of other buffers, and individually sealed in a easy-to-open tamper evident peel pouch. The bright blue colour ensures they cannot be easily lost in critical areas, while the structure within the sponge prevents shedding of fragments due to abrasion.

Polywipes[™] are also convenient to store at room temperature, and can be carried individually to the sites for testing. They are triple packed, and terminally sterilised by gamma irradiation. Using sterile gloves, which can be supplied, the sponge is used to sample the surface being tested. Any traces of disinfectant are quickly neutralised, either by simple dilution, or by direct interaction with the neutralising components of the liquid. After use and transportation, they are readily processed in the laboratory by any of a number of standard techniques.

Polywipes[™] have been the subject of many studies, including recovery performance with Salmonella, Listeria, MRSA, Acinetobacter, and Clostridium difficile.

New

- Range of premoistening buffers.
- Standard (Phosphate buffer)
- NRS neutralising rinse solution
- Letheen Broth
- BPW- Buffered Peptone Water
- Peptone Saline (for carcass swabbing)

Key features

- Sterile guaranteed by irradiation
- Triple packed for controlled handling
- Bright blue sponge (highly visible does not get lost)
- Resistant to abrasion
- Non-inhibitory optimum recovery of target microorganisms
- Premoistened with choice of buffers
- Room temperature storage
- Individually wrapped tamper evident packaging
- Variety of formats (gloves, bags, etc)
- Scientifically attested





Wide range of applications throughout food and pharmaceutical manufacturing and processing

Food & Pharmaceutical Manufacturing

Sponge swabs are especially recommended for the sampling of larger areas for the detection of controlled pathogens such as *Listeria, Salmonella* and coliforms. They are very useful for sampling irregular surfaces such as drains and machine casings, and also for larger areas such as conveyor belts and preparation benches.

Polywipes[™] with standard phosphate buffer has been widely used for many years, and is the most suitable formulation for most applications. There are some situations, whether specified by regulations, or the requirements of particular retailers, where alternative wetting solutions are required. To meet these requirements, Polywipes[™] are now also available with Neutralising Rinse Solution (NRS™), Buffered Peptone Water (BPW) or Letheen Broth. NRS™ is a peptone solution containing the neutralisers sodium thiosulphate, polysorbate 80, and lecithin, and is often specified for standard swab sampling. Buffered Peptone Water is recommended where Salmonella is a particular target on food contact surfaces. Letheen Broth is a growth medium which also contains the neutralisers lecithin and polysorbate 80, and is recommended by the FDA for environmental testing for the cosmetic industry. Peptone Saline (also called Maximum Recovery Diluent – MRD) is available as the wetting solution with Polywipes[™] Carcass Swabs (see below).

Carcass swabs

European and international standards (including (EC) No. 2073/2005) require the regular sampling of the carcasses of cattle, sheep, pigs, goats and horses using sponge swabs. Polywipes[™] Carcass Swabs are premoistened with Peptone Saline specially formulated (ISO 17604 & ISO 6887) to comply with these regulations. They can be supplied complete with gloves, resealable bags, and preprinted label for recording required details such as Farm, Species, Length and Reference Number.







SteriKit[™]

For sterile manufacturing areas

SteriKit[™] is a swab based system for the detection of microbial contamination in sterile production facilities.

Samples are collected using Steriswab[™] premoistened swabs, and inserted into the SteriKit[™] tubes containing an enriched semi-solid medium with colour change growth indicator. Upon incubation any bacteria will grow and cause the colour of the medium to change from purple to yellow within 48 hours.

The time taken will depend on the number of organisms, but in the event of any colour development, the swab and medium can be used for further investigation by conventional or molecular microbiological techniques.

- The product is triple wrapped to allow sterile handling in controlled areas, and sterilised by irradiation.
- Colour-change indication of microbial growth
- Enriched growth medium for enhanced detection for low numbers
- Premoistened swab for effective sampling
- Formulated and tested in accordance with UK, European & US Pharmacopoeias
- Ambient temperature storage



Pre-moistened



Sampling for critical surfaces

Steriswabs[™] are designed for sampling of critical surfaces including nozzles and equipment in sterile production units in hospitals and in the pharmaceutical industries. They are also particularly useful for surveillance of clean and food contact surfaces in the food manufacturing industry.

Steriswabs[™] have a rayon bud on a blue plastic shaft, and are premoistened with a sterile phosphate buffer. The moistened bud improves the recovery of any microorganisms from the test surface, even if present in low numbers. The swabs have a 45mm breakpoint allowing them to be readily transferred into other test systems.

Steriswabs[™] are triple wrapped for sterile handling in controlled premises, and are sterilised by irradiation.



FlexiswabTM Longer flexible-shafted swab

Flexiswab[™] is ideal for taps, pipes, vents, valves, vats, machinery, crevices, and other hard-to-reach areas

- Strong flexible longer 8 inch/ 205mm shaft for extra reach around bends without breaking.
- High visibility blue shaft
- Larger rayon bud for effective sampling with good absorption and release.
- Tamper evident seal ensures sterility prior to sampling
- Labelled tube for transport of sample, and recording site details

Effective sampling of critical surfaces in sterile production

Isolation Transwab®

Active surveillance for Listeria, Salmonella & Coliforms with Isolation Transwab®

MWE's Isolation Transwabs[®] are a unique, convenient and cost-effective range of self-contained environmental sampling swabs.

The kits includes a swab for sampling the surface, which is then placed in the provided tube of coloured gel medium, which in turn changes colour if positive.

- Easy read colour change
- Positive results generally available within 24 hrs*
- Self contained
- Individually packed easy to carry to test areas
- Ambient storage
- I 2 months shelf-life

*Allow further 24 hrs to confirm negative results

Listeria Isolation Transwab[®]

Result can be available within 24 hrs (max 48 hrs) Colour change for positive: STRAW to BLACK

Coliform Isolation Transwab®

Result can be available within 24 hrs (max 48 hrs) Colour change for positive: PURPLE to YELLOW

Salmonella Isolation Transwab®

Result can be available within 24 hrs (max 48 hrs) Colour change for positive: RED to BLACK

Hygiene Swab[™]


Similar to Isolation Transwab® but used as indicator for gross microbial contamination.

Result available within 8 -12 hrs Colour change for positive: RED to YELLOW









Effective surveillance for key pathogens



NRS II Transwab®

| Code | Diluent | Volume in Tube | Pack Size |
|-------|--|----------------|-----------|
| MW784 | NRS Neutralising Rinse Solution | 5ml | 50 |
| MW785 | NRS Neutralising Rinse Solution | IOml | 50 |
| MW786 | NRS Neutralising Rinse Solution | Iml | 50 |
| MW782 | NRS without Sodium Thiosulphate | Iml | 50 |
| MW783 | NRS without Sodium Thiosulphate | 10ml | 50 |
| MW776 | Buffered Peptone Water | 10ml | 50 |
| MW777 | Buffered Peptone Water | 5ml | 50 |
| MW778 | Tryptic Soy Broth | 5ml | 50 |
| MW779 | Tryptic Soy Broth | 10ml | 50 |
| MW780 | Butterfield Buffer | IOml | 50 |
| MW781 | Butterfield Buffer | 5ml | 50 |
| MW792 | Letheen Broth | IOml | 50 |
| MW793 | Letheen Broth | 5ml | 50 |
| MW794 | Letheen Broth | Iml | 50 |
| MW796 | MRD (Maximum Recovery Diluent) | IOml | 50 |
| MW797 | MRD (Maximum Recovery Diluent) | 5ml | 50 |
| MW798 | NRSII Tube, Dry No Swab, screw cap vial | Empty | 50 |
| MW799 | NRSII Tube, Dry with blue swab, screw cap vial | Empty | 50 |

Polywipes[™] Pre-moistened sponge swab

| Code | Format | Formats | Pack Size | |
|---|--|------------|-----------|--|
| MW723 | In peel pouch with NRS, | A, B | 50 | |
| MW724 | In peel pouch with Letheen Broth, | A, B,TB | 50 | |
| MW728 | In 110ml Polycon container | | 50 | |
| MW729 | Standard with phosphate buffer in peel pouch | A, B, C,TB | 50 | |
| MW727 | With cord in peel pouch | A, B,TB | 50 | |
| MW726 | With Peptone Saline for Carcass sampling | A, B,TB | 50 | |
| Additional formats available: A with sterile resealable bags (50) B with sterile resealable bags & gloves (50 of each) C with sterile resealable bags (50) & gloves (100) TB with sterile re-sealable twistbags & gloves (50 of each) | | | | |
| Flexiswab™ | | | | |
| Code Pack Size | | | Pack Size | |

Isolation Transwabs[®]

| Code | | Pack Size |
|-----------|--------------------------------|-----------|
| MW504125 | Hygiene Swab | 125 |
| MW50425 | Hygiene Swab | 25 |
| MW503125 | Coliform Isolation Transwab® | 125 |
| MW50325 | Coliform Isolation Transwab® | 25 |
| MW570125 | Listeria Isolation Transwab® | 125 |
| MW57025 | Listeria Isolation Transwab® | 25 |
| MW572M125 | Salmonella Isolation Transwab® | 125 |
| MW572M25 | Salmonella Isolation Transwab® | 25 |

Steriswab[™]

| Code | | Pack Size |
|-----------|---|-----------|
| MW720/100 | Individual pre-moistened blue, breakpoint swab, labelled tube | 100 |
| MW720 | Individual pre-moistened blue, breakpoint swab, labelled tube | 250 |
| MW730 | Individual blue, breakpoint swab, labelled tube | 250 |
| MW735/1 | Single blue, breakpoint swab in peel pouch | 100 |

SteriKit™

| Code | Pack Size |
|--|--------------|
| MW750 Sterikit™ Indicator swab system for sterility tr surfaces in Pharmaceuticals (Triple Wrapped) | esting of 50 |
| | |
| | |
| | |
| | · · / |
| MicroD | lanot |
| MicroP | lanel |
| | , / |
| | |
| | |
| MICROPLANET LABO | RATORIOS SI |
| www.microplanet | |
| info@microplane Tel. 93 590 6 | |
| 161. 93 390 0 | 2.32 |



MW159

Flexiswab™, 8 inch (205mm) strong flexible blue shaft with larger rayon bud, labelled tube

Corsham, Wiltshire, SN13 9RT, U.K. Telephone: 01225 810361 Fax: 01225 810153 E-mail: info@mwe.co.uk www.mwe.co.uk

100

